

NAMIOT STELAŻOWY Z SERII CLASSIC

Namioty stelażowe z serii Classic posiadają prosty, połączony stelaż mocowany za pomocą łączników, który podtrzymuje poszycie dachowe, co pozwala na maksymalne wykorzystanie przestrzeni wewnątrz namiotu. Wszystkie namioty z tej serii wykorzystują stelaże i złącza w stylu „West Coast”, co czyni je kompatybilnymi i wymiennymi z innymi elementami tego typu. Dla zapewnienia maksymalnej stabilności, namioty stelażowe muszą być zakotwiczone w podłożu lub w inny sposób solidnie przymocowane.


Łatwy montaż • Konstrukcja samonośna • Dostępny nadruk na zamówienie



WOLNOSTOJĄCA KONSTRUKCJA I BRAK SŁUPÓW WEWNĄTRZ DLA
MAKSYMALNEJ PRZESTRZENI UŻYTKOWEJ!




ZŁĄCZE
Z ZAWŁECZKĄ
TYPU R



WEWNĘTRZNY
STELAŻ



ZĄBKOWANY
FARTUCH



STANDARDOWA
PŁYTA PODSTAWY



SYSTEM WIĄZANIA
SEKCYJNEGO POSZYCIA
DACHOWEGO




SYSTEM NAPINAJĄCY
Z MECHANIZMEM
ZAPADKOWYM



ELEMENTY
RUROWE

Przegląd komponentów:


- Konstrukcja stelażowa i złącza w stylu West Coast



Ogólna konstrukcja namiotu stelażowego przedstawiona na przykładzie modelu 6 x 6 m

Konstrukcja namiotu:

- Winyłowe poszycie o gramaturze 540 g/m², nieprzepuszczające światła, trudnopalne oraz odporne na pleśń i grzyby
- Wszystkie panele łączone są z zakładkami o szerokości 2,5 cm i zgrzewane termicznie
- Lina nylonowa o średnicy 3,9 mm wszyta wokół całego obwodu dachu namiotu
- Lina boczna może być wymieniona w razie potrzeby
- Wielowarstwowe wzmocnienia w miejscach styku konstrukcji
- Ząbkowane fartuchy wykończone obszyciem z winylu
- 95% poszycia górnego łączone metodą zgrzewania termicznego
- Standardowe kolory dostępne od ręki, nadruki dostępne na zamówienie



WZMOCNIENIA
WIELOWARSTWOWE



ZACISKI SZCZĘKOWE
I LINA DO MOCOWANIA
ŚCIAN BOCZNYCH



ETYKIETA
IDENTYFIKACYJNA
I CERTYFIKAT
TRUDNOPALNOŚCI



CLASSIC SERIES FRAME TENT

Classic Series Frame Tents combine a simple interconnected frame secured with fasteners to support the top fabric, allowing you to maximize space within the shelter. All Classic Series Frame tents use West Coast Style frames and fittings, making them interchangeable with all other frames and fittings in this style. Frame tents need to be staked to the ground or otherwise anchored for maximum stability.


Easy Setup • Freestanding Supports • Custom Printing Available



FREESTANDING - NO CENTER POLES FOR MAXIMUM AVAILABLE SPACE!




**FITTING WITH
R-PIN**



**INSIDE
FRAMEWORK**



**SCALLOPED
VALANCE**



**STANDARD
BASE PLATE**



**SECTIONAL TOP
LACE LINE**




RATCHET ASSEMBLY



TUBING

Component Overview:


- West Coast style frames and fittings




General frame tent construction shown on a 20' x 20'

Tent Construction:

- 16 oz (540 gsm) blockout, flame resistant, mold and mildew resistant vinyl
- All panels are bonded with 1" (2.5 cm) heat sealed overlapped seams
- 5/32" (3.9 mm) Nylon sidewall rope line around perimeter of tent top
- Sidewall rope line is replaceable if ever needed
- Multi-layered reinforcements at crown locations
- Scalloped valances bound with vinyl binding
- 95% of tent top is bonded with heat sealed construction
- Stock colors and custom printing available by special order



**MULTI-LAYERED
REINFORCEMENTS**



**ALLIGATOR CLIPS &
SIDEWALL ROPE**



**IDENTIFICATION LABEL
FLAME CERTIFICATE**



5373 State Route 29, Celina, Ohio 45822-9210 • Sales@Celina.com
Celina.com • Youtube.com/CelinaTent • 419-586-3610 • 1-866-GET-TENT